


AZOLAB LABORATUVAR HİZMETLERİ A. Ş.

Adnan Kahveci Mah. Çankaya Cad. Simay İş Merkezi
No:5-B Kat:1 No: 34 Beylikdüzü / İSTANBUL
Tel: 0212 855 85 06(07) Fax: 0212 909 14 30
Web: www.azolab.com.tr E-mail: info@azolab.com.tr

**TEST REPORT**

Report Status : PASS
Report Nr/Revision Nr/Release Date : 2500035699/0/11.11.2025
Agency Name : ZENO ENDÜSTRİ SAN.ÜRÜNLERİ A.Ş.
Contact e-mail : NAMIK KEMAL MAH. 22. SK. NO: 4/1A, İSTANBUL
Sample Accepted on : 28.10.2025
Test Resulted Date : 05.11.2025
Date Release Report : 11.11.2025
Sample ID : DAMA-SATRAŇ-TAVLA OYUNU
Total Number of Pages : 12
Disclaimer : The analysis was carried out upon customer request.
Decision Rule : 3-The simple acceptance rule was applied.
Conformity Assessment :
Brand Name : FOCUS-SMILE GAMES
Model / Item No : 2062 - S01003700 - S00003701

ANALYSIS	METHOD	RESULT
* DETERMINATION OF PHTHALATES	CPSC-CH-C1001.09:2018 [BAKANLIK]	P
* DETERMINATION OF PAH's	AfPS GS:2019:01	P
* SAFETY OF TOYS-PART 3: MIGRATION OF CERTAIN ELEMENTS - CATEGORY 3	EN 71-3:2019+A2:2024/BS EN 71 3:2019+ A2:2024/TS EN 71 3+A2:2025 K3	P
* SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES	TS EN 71-1+A1 :2018/BS EN 71-1:2014+A1:2018/ EN 71-1:2014+A1:2018	P
* EN 71-2-SAFETY OF TOYS-PART 2: FLAMMABILITY	TS EN 71-2+A1:2025 / BS EN 71-2:2020+A1:2025	P
* DETERMINATION OF AZO DYES	ISO 14362-1:2017	P

Seal



Tuğçe Genç
Uzman Müşteri Temsilcisi / Senior
Customer Representative

11.11.2025

e-imzalıdır

Gökem EROĞLU
Hardlines Bölüm Müdürü
/ Hardlines Division Manager


11.11.2025

e-imzalıdır




TEST REPORT

Photo of the sample received



TEST REPORT

Photo of the sample received



TEST REPORT

Photo of the sample received



TEST REPORT

Photo of the sample received




TEST REPORT

Photo of the sample received



TEST REPORT

Photo of the sample received



TEST REPORT

Sample ID	Part No.	Part ID	Explanatory Information
A-2IN1 DAMA-SATRANÇ B-3IN1 OYUN SETİ C-SATRANÇ OYUN SETİ	Part 001	Plastic black outer box	
A-2IN1 DAMA-SATRANÇ B-3IN1 OYUN SETİ C-SATRANÇ OYUN SETİ	Part 002	Plastic black on/off switch buttons	
A-2IN1 DAMA-SATRANÇ B-3IN1 OYUN SETİ	Part 003	Plastic ecru chess stones	
A-2IN1 DAMA-SATRANÇ B-3IN1 OYUN SETİ C-SATRANÇ OYUN SETİ	Part 004	Plastic black chess stones	
A-2IN1 DAMA-SATRANÇ B-3IN1 OYUN SETİ	Part 005	Plastic white checker stones	
A-2IN1 DAMA-SATRANÇ B-3IN1 OYUN SETİ	Part 006	Plastic black checker stones	
C-SATRANÇ OYUN SETİ	Part 007	Plastic white chess stones	
A-2IN1 DAMA-SATRANÇ B-3IN1 OYUN SETİ C-SATRANÇ OYUN SETİ	Part 008	Paper black-white printed adhesive parts on cover	
B-3IN1 OYUN SETİ	Part 009	Paper black-white printed adhesive inside parts	
A-2IN1 DAMA-SATRANÇ B-3IN1 OYUN SETİ C-SATRANÇ OYUN SETİ	Part 010	Textile red bags	
A-2IN1 DAMA-SATRANÇ B-3IN1 OYUN SETİ C-SATRANÇ OYUN SETİ	Part 011	Textile white cord of bags	
A-2IN1 DAMA-SATRANÇ B-3IN1 OYUN SETİ C-SATRANÇ OYUN SETİ	Part 012	2IN1 DAMA-SATRANÇ & 3IN1 OYUN SETİ & SATRANÇ OYUN SETİ	

Summary of Results

Parts & Results															
Parts	001	002	003	004	005	006	007	008	009	010	011	012	013	014	015
*DETERMINATION OF PHTHALATES	P	P	P	P	P	P	P	P	P	X	X	X			
*DETERMINATION OF PAH's	P	P	P	P	P	P	P	X	X	X	X	X			
*SAFETY OF TOYS-PART 3: MIGRATION OF CERTAIN ELEMENTS -CATEGORY 3	P	P	P	P	P	P	P	P	P	P	P	X			
*SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES	X	X	X	X	X	X	X	X	X	X	X	P			
*EN 71-2-SAFETY OF TOYS-PART 2: FLAMMABILITY	X	X	X	X	X	X	X	X	X	X	X	P			
*DETERMINATION OF AZO DYES	X	X	X	X	X	X	X	X	X	P	X	X			

TEST REPORT***SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES**

A-B-C [012] / TS EN 71-1+A1 :2018/BS EN 71-1:2014+A1:2018/ EN 71-1:2014+A1:2018

This report details the clauses appropriate to this item. Those clauses not referred to were considered not applicable.

- Age Group Which Indicated : +36 month
- Laboratory Age Grading : +36 month
- Tested Age Group : +36 month
- The item was tested for children aged over 36 months according to standard.

Matter	Result
*4. GENERAL REQUIREMENTS	Pass
*4.1 Material Cleanliness	Pass
*4.4 Toy Bags	NA
*4.7 Edges	Pass (a+c)
*4.8 Points And Metallic Wires	Pass (a+e)
*4.10 Parts Moving Against Each Other	NA
*4.10.3 Hinges	NA
*7. WARNINGS, MARKINGS AND INSTRUCTIONS FOR USE	Relevant ##
*7.1 General	Relevant
*7.2 Toys Not Intended For Children Under 36 Months	Relevant

The text of this note is for information only and the indents do not constitute requirements of this European Standard. The information is not exhaustive and Directive 2009/48/EC and the associated guidance documents should be consulted for further details.

The toy or, its packaging or document accompanying must be labelled with:

** The name and address of the manufacturer (**Not Present**)** The name and address of the importer (**Present**)Type, batch, serial or model number or other element allowing of toy identification (**Present**)The following advisory note: "Retain for future reference", if the information is not on the toy itself (**Present**)A CE mark in the correct shape and size. (**Present**)

- Warning and other information should be in the national language(s) of the countries where the toy is marketed.

** In the case of the toy sell in European countries, the toy, its packaging or document accompanying must be labelled with the name and address of the manufacturer and importer.

***EN 71-2-SAFETY OF TOYS-PART 2: FLAMMABILITY**

A-B-C [012] / TS EN 71-2+A1:2025 / BS EN 71-2:2020+A1:2025

This report details the clauses appropriate to this item. Those clauses not referred to were considered not applicable.

NOTE 1: Extremely flammable liquids, high flammable liquids and flammable gases can not be tested.

Matter	Result
*4. RULES	Pass
*4.1 General Rules #(See Note 1,2)	Pass

NOTE 2: 4.1 Parameters Considered For General Requirements

Cellulose nitrate

Washing Process ** : Not applied

**(Cleaning process apply to the product in necessary situations for appropriate clauses of EN 71-2 according to instructions that given on toy or if there is no instructions apply pursuant to indicate in standard.)

Type of Gas : Butane Gas (Gas which used in test burner)

The test results thus obtained can not be considered as providing an overall indication of the potential fire hazard of toys or materials when subjected to other sources of ignition.

Condition Parameters: 65±5 %RH ; 20±5°C at least 7 hour

Test Atmosphere: 10°C - 30°C / 15-80 %RH

TEST REPORT***DETERMINATION OF PHTHALATES**

CPSC-CH-C1001.09:2018 [BAKANLIK]

Analyzed by: GC-MS

Controlled Compounds	CAS Number	Part 001+002+003	Part 004+005	Part 006+007	Part 008+009	Reporting Limit (mg/kg)
*Di-iso-nonyl phthalate (DINP)	28553-12-0/68515-48-0	<60	<60	<60	<60	60
*Di-n-octylphthalate (DNOP)	117-84-0	<60	<60	<60	<60	60
*Di-(2-ethylhexyl)-phtalete (DEHP)	117-81-7	<60	<60	<60	<60	60
*Di-isodecyl phthalate (DIDP)	26761-40-0/68515-49-1	<60	<60	<60	<60	60
*Butylbenzyl phthalate (BBP)	85-68-7	<60	<60	<60	<60	60
*Dibutyl phthalate (DBP)	84-74-2	<60	<60	<60	<60	60
*TOTAL(DBP+ DEHP+ BBP)		<60	<60	<60	<60	60
*TOTAL (DINP+ DNOP+ DIDP)		<60	<60	<60	<60	60
	Result	Pass	Pass	Pass	Pass	

Forbidden Compounds : LIMIT (MAX.) = Each Compounds 1000ppm; Total DBP, DEHP, BBP < 1000 ppm; Total DINP, DNOP, DIDP < 1000 ppm

Limit Value :It is given by the EU Regulation 1907/2006 (REACH), Annex XVII Entry 51&52

TEST REPORT***SAFETY OF TOYS-PART 3: MIGRATION OF CERTAIN ELEMENTS -CATEGORY 3**

EN 71-3:2019+A2:2024/BS EN 71 3:2019+A2:2024/TS EN 71 3+A2:2025 K3

Analyzed by: ICP-MS

Controlled Compounds	CAS Number	Part 001	Part 002	Part 003	Part 004	Part 005	Part 006	Part 007	Part 008	Limiting Value (mg/kg)	Reporting Limit (mg/kg)
*Aluminium (Al)	7429-90-5	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	99	28130	0,125
*Antimony (Sb)	7440-36-0	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	560	0,125
*Arsenic (As)	7440-38-2	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	47	0,125
*Copper (Cu)	7440-50-8	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	7700	0,125
*Barium (Ba)	7440-39-3	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	18750	0,125
*Boron (B)	7440-42-8	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	15000	0,125
*Mercury (Hg)	7439-97-6	<0,0125	<0,0125	<0,0125	<0,0125	<0,0125	<0,0125	<0,0125	<0,0125	94	0,0125
*Zinc (Zn)	7440-66-6	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	46000	0,125
*Cadmium (Cd)	7440-43-9	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	17	0,125
*Tin (Sn)	7440-31-5	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	180000	0,125
*Cobalt (Co)	7440-48-4	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	130	0,125
*Chromium (Cr +3)	7440-47-3	<0,47	<0,47	<0,47	<0,47	<0,47	<0,47	<0,47	<0,47	460	0,47
*Chromium (Cr +6)	18540-29-9	<0,001	<0,001	<0,001	<0,001	<0,001	<0,001	<0,001	<0,001	0,053	0,001
*Lead (Pb)	7439-92-1	<0,125	<0,125	<0,125	0,55	<0,125	<0,125	<0,125	0,42	23	0,125
*Manganese (Mn)	7439-96-5	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	15000	0,125
*Nickel (Ni)	7440-02-0	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	0,89	930	0,125
*Selenium (Se)	7782-49-2	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	460	0,125
*Strontium (Sr)	7440-24-6	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	<0,125	56000	0,125
Organic Tin	-	<0,02	<0,02	<0,02	<0,02	<0,02	<0,02	<0,02	<0,02	12	0,02
Result		Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass		

Controlled Compounds	CAS Number	Part 009	Part 010	Part 011						Limiting Value (mg/kg)	Reporting Limit (mg/kg)
*Aluminium (Al)	7429-90-5	31	<0,125	<0,125						28130	0,125
*Antimony (Sb)	7440-36-0	<0,125	<0,125	<0,125						560	0,125
*Arsenic (As)	7440-38-2	<0,125	<0,125	<0,125						47	0,125
*Copper (Cu)	7440-50-8	<0,125	<0,125	<0,125						7700	0,125
*Barium (Ba)	7440-39-3	<0,125	<0,125	<0,125						18750	0,125
*Boron (B)	7440-42-8	<0,125	<0,125	<0,125						15000	0,125
*Mercury (Hg)	7439-97-6	<0,0125	<0,0125	<0,0125						94	0,0125
*Zinc (Zn)	7440-66-6	<0,125	<0,125	<0,125						46000	0,125
*Cadmium (Cd)	7440-43-9	<0,125	<0,125	<0,125						17	0,125
*Tin (Sn)	7440-31-5	<0,125	<0,125	<0,125						180000	0,125
*Cobalt (Co)	7440-48-4	<0,125	<0,125	<0,125						130	0,125
*Chromium (Cr +3)	7440-47-3	<0,47	<0,47	<0,47						460	0,47
*Chromium (Cr +6)	18540-29-9	<0,001	<0,001	<0,001						0,053	0,001
*Lead (Pb)	7439-92-1	<0,125	<0,125	<0,125						23	0,125
*Manganese (Mn)	7439-96-5	<0,125	<0,125	<0,125						15000	0,125
*Nickel (Ni)	7440-02-0	<0,125	<0,125	<0,125						930	0,125
*Selenium (Se)	7782-49-2	<0,125	<0,125	<0,125						460	0,125
*Strontium (Sr)	7440-24-6	<0,125	<0,125	<0,125						56000	0,125
Organic Tin	-	<0,02	<0,02	<0,02						12	0,02
Result		Pass	Pass	Pass							

Limit Value : It is given by Safety of toys Part 3: Migration of certain elements- Scraped-off Materials, Category 3.

TEST REPORT
***DETERMINATION OF PAH's**

AfPS GS:2019:01

Analyzed by: GC-MS

Controlled Compounds	CAS Number	Part 001+002+003	Part 004+005	Part 006+007	Limiting Value (mg/kg)	Reporting Limit (mg/kg)
*Benzo(e)pyrene	192-97-2	<0,1	<0,1	<0,1	0,5	0,1
*Benzo[j]fluoranthene	205-82-3	<0,1	<0,1	<0,1	0,5	0,1
*Benz[a]anthracene	56-55-3	<0,1	<0,1	<0,1	0,5	0,1
*Benzo[k]fluoranthene	207-08-9	<0,1	<0,1	<0,1	0,5	0,1
*Benzo[a]pyrene	50-32-8	<0,1	<0,1	<0,1	0,5	0,1
*Chrysene	218-01-9	<0,1	<0,1	<0,1	0,5	0,1
*Dibenz[a,h]anthracene	53-70-3	<0,1	<0,1	<0,1	0,5	0,1
*Benz[b]fluoranthene	205-99-2	<0,1	<0,1	<0,1	0,5	0,1
	Result	Pass	Pass	Pass		

Limit Value : 23.06.2017 dated 30105 and published in the Official Gazette dated 23.06.2017 and numbered 30105, was made within the framework of the Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals (KKDIK)

***DETERMINATION OF AZO DYES**

ISO 14362-1:2017

NOTE: Azo colorants that are able to form 4-aminoazobenzene(4-aab) generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of 4-aminoazobenzene releasing colorants should be tested by ISO 14362-3:2017.

Analyzed by: GC-MS

Controlled Compounds	CAS Number	Part 010	Limiting Value (mg/kg)	Reporting Limit (mg/kg)
*4-Aminodiphenyl	92-67-1	<5	30	5
*Benzidine	92-87-5	<5	30	5
*4-chloro-o-toluidine	95-69-2	<5	30	5
*2-Naphthylamine	91-59-8	<5	30	5
*o-amino-azotoluene	97-56-3	<5	30	5
*2-amino-4-nitrotoluene	99-55-8	<5	30	5
*p-chloroaniline	106-47-8	<5	30	5
*2,4-diaminoanisole	615-05-4	<5	30	5
*4,4'-diamino-diphenylmethane	101-77-9	<5	30	5
*3,3'-Dichlorobenzidine	91-94-1	<5	30	5
*3,3'-Dimethoxybenzidine	119-90-4	<5	30	5
*4,4'-Methylen-bis-(2-chloraniline)	101-14-4	<5	30	5
*4,4'-oxydianiline	101-80-4	<5	30	5
*4,4'-thiodianiline	139-65-1	<5	30	5
*o-toluidine	95-53-4	<5	30	5
*2,4-toluylenediamine	95-80-7	<5	30	5
*2,4,5-trimethylaniline	137-17-7	<5	30	5
*o-anisidine	90-04-0	<5	30	5
*p-cresidine	120-71-8	<5	30	5
*3,3'-Dimethylbenzidine	119-93-7	<5	30	5
*4-aminoazobenzene(4-aab)	60-09-3	<5	30	5
*4,4'-methylenedi-o- toluidine	838-88-0	<5	30	5
	Result	Pass		

Limit Value: It was made within the framework of the regulation on Registration, Evaluation, Permission and Restriction of Chemicals (KKDİK) published in the Official Gazette dated 23.06.2017 and numbered 30105 bis.